
20

25

30

CLAIMS

1. A compound of the formula



5 or the pharmaceutically acceptable salt and pro-drugs thereof; wherein

a is 1, 2, 3, 4 or 5;

c is 0 or 1;

d is 1, 2, 3, 4 or 5;

k is 0, 1, 2, 3 or 4; I is 0, 1, 2, 3 or 4; m is 0, 1, 2, 3, or 4; k, I and m cannot all be 0 and if m and/or k are not 0, then I must be 0.;

W is CH or N;

X is C(O), C(S) or CH₂;

Y is CH2;

Z is oxygen, NR9 or CR11R12;

each R1 is independently selected from hydrogen, hydroxy, hydroxysulfonyl, halo; (C₁-C₆)alkyl, mercapto, mercapto(C₁-C₆)alkyl, (C₁-C₆)alkylthio, (C₁-C₆)alkylsulfinyl, (C₁-C₆)alkylsufonyl, (C_1-C_6) alkylthio (C_1-C_6) alkyl, (C_1-C_6) alkylsulfinyl (C_1-C_6) alkyl, (C₁- C_6)alkylsulfonyl(C_1 - C_6)alkyl, (C_1 - C_6)alkoxy, (C_6 - C_{10})aryloxy, halo(C_1 - C_6)alkyl, trifluoromethyl, formyl, formyl(C_1 - C_6)alkyl, nitro, nitroso, cyano, (C_6 - C_{10})aryl(C_1 - C_6)alkoxy, halo(C_1 - C_6)alkoxy, trifluoromethoxy, (C₃-C₇)cycloalkyl, (C₃-C₇)cycloalkyl(C₁-C₆)alkyl, hydroxy(C₃-C₇)cycloalkyl(C₁-C₆)alkyl, (C₃-C₇)cycloalkylamino, (C₃-C₇)cycloalkylamino(C₁-C₆)alkyl, ((C₃-C₇)cycloalkyl)((C₁- C_6)alkyl)amino, ((C_3 - C_7)cycloalkyl(C_1 - C_6)alkyl)amino(C_1 - C_6)alkyl, cyano(C_1 - C_6)alkyl, (C_2 - C_7)alkenyl, (C_2-C_7) alkynyl, (C_6-C_{10}) aryl, (C_6-C_{10}) aryl (C_1-C_6) alkyl, (C_6-C_{10}) aryl (C_2-C_6) alkenyl, hydroxy(C_6 - C_{10})aryl(C_1 - C_6)alkyl, hydroxy(C_1 - C_6)alkylthio(C_1 - C_6)alkyl, hydroxy(C_1 - C_6)alkyl, $hydroxy(C_2-C_6)alkenyl, \quad hydroxy(C_2-C_6)alkynyl, \quad (C_1-C_6)alkoxy(C_1-C_6)alkoxy(C_6-C_6)a$ C_{10})aryl(C_1 - C_6)alkyl, (C_6 - C_{10})aryloxy(C_1 - C_6)alkyl, (C_6 - C_{10})aryl(C_1 - C_6)alkoxy(C_1 - C_6)alkyl, amino, (C_1-C_6) alkylamino, $((C_1-C_6)$ alkyl)₂amino, (C_6-C_{10}) arylamino, (C_6-C_{10}) aryl (C_1-C_6) alkylamino, $((C_1-C_6)alkyl)_2amino(C_1-C_6)alkyl,$ amino(C₁-C₆)alkyl, (C_1-C_6) alkylamino (C_1-C_6) alkyl, hydroxy(C_1 - C_6)alkylamino(C_1 - C_6)alkyl, (C_6-C_{10}) arylamino (C_1-C_6) alkyl, (C₆-C₁₀)aryl (C₁-C₆)alkylcarbonylamino, C₆)alkylamino(C₁-C₆)alkyl, ((C₁-C₆)alkylcarbonyl)((C₁-((C₁-C₆)alkylcarbonyl)((C₁-C₆)alkyl)amino, (C_1-C_6) alkylcarbonylamino (C_1-C_6) alkyl, C₆)alkyl)amino(C₁-C₆)alkyl, (C₁-C₆)alkoxycarbonylamino, (C₁-C₆)alkoxycarbonyl)(C₁-

10

15

20

25

30

35

```
C<sub>6</sub>)alkylamino,
                              (C_1-C_6)alkoxycarbonylamino(C_1-C_6)alkyl,
                                                                                                    (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbnony)((C<sub>1</sub>-
C_6)alkyl)amino(C_1-C_6)alkyl,
                                                   carboxy,
                                                                           (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl,
                                                                                                                        (C_6-C_{10})aryl(C_1-
C<sub>6</sub>)alkoxycarbonyl,
                                     (C<sub>1</sub>-C<sub>6</sub>)alkylcarbonyl,
                                                                               (C<sub>1</sub>-C<sub>6</sub>)alkylcarbonyl(C<sub>1</sub>-C<sub>6</sub>)alkyl,
                                                                                                                                          (C<sub>6</sub>-
C_{10})arylcarbonyl, (C_6-C_{10})arylcarbonyl(C_1-C_6)alkyl, (C_6-C_{10})aryl(C_1-C_6)alkylcarbonyl,
                                                                                                                                          (C<sub>6</sub>-
                                                                  carboxy(C<sub>1</sub>-C<sub>6</sub>)alkyl,
                                                                                                        (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl(C<sub>1</sub>-
C_{10})aryl(C_1-C_6)alkycarbonyl(C_1-C_6)alkyl,
                             (C_6-C_{10})aryl(C_1-C_6)alkoxycarbonyl(C_1-C_6)alkyl,
                                                                                                                     (C_1-C_6)alkoxy(C_1-
C<sub>6</sub>)alkyl,
C<sub>6</sub>)alkylcarbonyloxy(C<sub>1</sub>-C<sub>6</sub>)alkyl,
                                                        aminocarbonyl,
                                                                                        (C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonyl,
                                                                                                                                         ((C<sub>1</sub>-
C_6)alky!)<sub>2</sub>aminocarbonyl, (C_6-C_{10})arylaminocarbonyl, (C_6-C_{10})aryl(C_1-C_6)alkylaminocarbonyl,
aminocarbonyl(C<sub>1</sub>-C<sub>6</sub>)alkyl,
                                                           (C_1-C_6)alkylaminocarbonyl(C_1-C_6)alkyl,
                                                                                                                                         ((C<sub>1</sub>-
                                                                                                                                          (C<sub>1</sub>-
C<sub>6</sub>)alkyl)<sub>2</sub>aminocarbonyl(C<sub>1</sub>-C<sub>6</sub>)alkyl,
                                                                   (C_6-C_{10})arylaminocarbonyl(C_1-C_6)alkyl,
C<sub>6</sub>)alkylaminocarbonyl(C<sub>1</sub>-C<sub>6</sub>)alkyl, amidino, guanidino, ureido, (C<sub>1</sub>-C<sub>6</sub>)alkylureido, ((C<sub>1</sub>-
C_6)alkyl)<sub>2</sub>ureido, ureido(C_1-C_6)alkyl, (C_1-C_6)alkylureido(C_1-C_6)alkyl), ((C_1-C_6)alkyl)<sub>2</sub>ureido(C_1-
C_6)alkyl, (C_2-C_9)heterocycloalkyl, (C_2-C_9)heteroaryl, (C_2-C_9)heterocycloalkyl(C_1-C_6)alkyl and
(C_2-C_9)heteroaryl(C_1-C_6)alkyl;
                                                              (R<sup>5</sup>Q<sub>q</sub>)<sub>f</sub>(C<sub>3</sub>-C<sub>10</sub>)cycloalkyl,
                    is (R^5Q_a)_f(C_6-C_{10}) aryl,
                                                                                                         (R^5Q_q)_f(C_2-C_9)heteroaryl,
(R^5Q_a)_f(C_2-C_9)heterocycloalkyl,
            wherein f is 0, 1, 2, 3, 4 or 5;
            Q is (C<sub>1</sub>-C<sub>6</sub>)alkyl;
            a is 0 or 1;
            R^5
                    is
                          independently
                                                     selected
                                                                       from:
                                                                                   (C<sub>2</sub>-C<sub>9</sub>)heterocycloalkylcarbonyl,
                                                                                                                                          (C<sub>2</sub>-
C<sub>9</sub>)heteroarylcarbonyl,
                                                    (C2-C9)heteroaryl(C1-C6)alkylaminocarbonyl,
                                                                                                                                          (C_2-
C<sub>9</sub>)heteroarylaminocarbonyl,
                                                    (C<sub>2</sub>-C<sub>9</sub>)heterocycloalkyl(C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonyl,
                                                                                                                                          (C<sub>1</sub>-
                                                               (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonylamino(C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonyl,
C<sub>6</sub>)alkylsulfonylaminocarbonyl,
ureido(C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonyl,
                                                           (C<sub>1</sub>-C<sub>6</sub>)alkylureido(C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonyl,
                                                                                                                                         ((C<sub>1</sub>-
                                                                             halo(C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonyl,
                                                                                                                                          (C<sub>1</sub>-
C<sub>6</sub>)alkyl)<sub>2</sub>ureido(C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonyl,
                                                                                          hydroxy(C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonyl,
C<sub>6</sub>)alkylcarbonylamino(C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonyl,
aminosulfonyl(C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonyl,
                                                                         carboxy(C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonyl,
                                                                                                                                          (C<sub>1</sub>-
C<sub>6</sub>)alkylaminosulfonyl(C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonyl,
                                                                                 amino(C<sub>1</sub>-C<sub>6</sub>)alkylcarbonylamino,
                                                                                                                                          (C<sub>1</sub>-
C<sub>6</sub>)alkylamino(C<sub>1</sub>-C<sub>6</sub>)alkylcarbonylamino,
                                                                   carboxy(C<sub>1</sub>-C<sub>6</sub>)alkylcarbonylamino,
                                                                                                                              carboxy(C<sub>1</sub>-
C<sub>6</sub>)alkoxycarbonylamino,
                                          ((C_1-C_6)alkyl)_2amino(C_1-C_6)alkylcarbonylamino, acetylamino(C<sub>1</sub>-
*C<sub>6</sub>)alkylcarbonylamino,
                                              (acetyl)((C_1-C_6)alkyl)amino(C_1-C_6)alkylcarbonylamino,
                                                                                                                                          (C<sub>1</sub>-
C_6)alkylsulfonylamino(C_1-C_6)alkylcarbonylamino, cyanoguanidino(C_1-C_6)alkylcarbonylamino,
(C<sub>1</sub>-C<sub>6</sub>)alkylcyanoguanidino(C<sub>1</sub>-C<sub>6</sub>)alkylcarbonylamino,
                                                                                            ((C<sub>1</sub>-C<sub>6</sub>)alkyl)<sub>2</sub>cyanoguanidino(C<sub>1</sub>-
C<sub>6</sub>)alkylcarbonylamino, aminocarbonyl(C<sub>1</sub>-C<sub>6</sub>)alkylcarbonylamino, aminocarbonylamino(C<sub>1</sub>-
                                       (C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonylamino(C<sub>1</sub>-C<sub>6</sub>)alkylcarbonylamino,
C<sub>6</sub>)alkylcarbonylamino,
                                                                                                                                         ((C<sub>1</sub>-
```

C₆)alkylcarbonylamino, (C₂-C₉)heterocycloalkyl(C₁-C₆)alkylcarbonylamino, aminosulfonyl(C₁-

C₆)alkyl)₂aminocarbonylamino(C₁-C₆)alkylcarbonylamino,

(C2-C9)heteroaryl(C1-

(C₁hydroxy(C₁-C₆)alkylureido, amino(C₁-C₆)alkylureido, C₆)alkylcarbonylamino, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylureido, (C₂-C₆)alkylamino(C₁-C₆)alkylureido, C₉)heterocycloalkyl(C₁-C₆)alkylureido, (C2-C9)heteroarylureido, (C2-C9)heteroaryl(C1-C₆)alkylureido, (C₁-C₆)alkylsulfonylureido, aminosulfonyl(C₁-C₆)alkylureido, aminocarbonyl(C₁-5 C₆)alkylureido, (C₁-C₆)alkylaminocarbonyl(C₁-C₆)alkylureido, ((C₁-C₆)alkyl)₂aminocarbonyl(C₁- C_6)alkylureido, acetylamino(C_1 - C_6)alkylureido, (acetyl)((C_1 - C_6)alkyl)amino(C_1 - C_6)alkylureido, $carboxy(C_1-C_6)alkylureido$, $halo(C_1-C_6)alkylsulfonylamino$, $amino(C_1-C_6)alkylsulfonylamino$, (C_1-C_6) alkylamino (C_1-C_6) alkylsulfonylamino, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylsulfonylamino, acetylamino(C_1 - C_6)alkylsulfonylamino, (acetyl)((C_1 - C_6)alkyl)amino(C_1 - C_6)alkylsulfonylamino, 10 (C₁-C₆)alkylureido(C₁-C₆)alkylsulfonylamino, ureido(C₁-C₆)alkylsulfonylamino, ((C₁-C₆)alkyl)₂ureido(C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkylsulfonylamino(C₁-C₆)alkylsulfonylamino, cyanoguanidino(C₁-C₆)alkylsulfonylamino, carboxy(C₁-(C₁-C₆)alkylcyanoguanidino(C₁-C₆)alkylsulfonylamino, ((C₁-C₆)alkylsulfonylamino, C_6)alkyl)₂cyanoguanidino(C_1 - C_6)alkylsulfonylamino, aminocarbonyl(C_1 - C_6)alkylsulfonylamino, 15 (C_1-C_6) alkoxycarbonylamino (C_1-C_6) alkylsulfonylamino, aminosulfonylaminocarbonyl, (C₁-C₆)alkylaminosulfonylaminocarbonyl, ((C₁-C₆)alkyl)₂aminosulfonylaminocarbonyl, (C₆-C₁₀)arylsulfonyl, (C₁-C₆)alkylaminosulfonylamino, ((C₁-C₆)alkyl)₂aminosulfonylamino, aminocarbonyl(C₁-C₆)alkylamino(C₁-C₆)alkylsulfonylamino, (C₂-C₉)heterocycloalkyloxycarbonylamino(C₁-C₆)alkylsulfonylamino, (C₂-20 C₉)heteroaryloxycarbonylamino(C₁-C₆)alkylsulfonylamino, (C₁cyanoguanidino, C₆)alkylcyanoguanidino, ((C₁-C₆)alkyl)₂cyanoguanidino, (C₂- C_9)heterocycloalkylcyanoguanidino, (C_2 - C_9)heterocycloalkyl(C_1 - C_6)alkylcyanoguanidino, (C_2 -C₉)heteroaryl(C₁-C₆)alkylcyanoguanidino, amino(C₁-C₆)alkylcyanoguanidino, (C₁-C₆)alkylamino(C₁-C₆)alkylcyanoguanidino, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylcyanoguanidino, 25 aminocarbonyl(C₁-C₆)alkylcyanoguanidino, carboxy(C₁-C₆)alkylcyanoguanidino; (C₁-C₆)alkylaminocarbonyl(C₁-C₆)alkylcyanoguanidino, ((C₁-C₆)alkyl)₂aminocarbonyl(C₁-C₆)alkylcyanoguanidino, hydroxy(C₁-C₆)alkylamino, aminocarbonyl(C₁-C₆)alkylamino, carboxy(C₁-C₆)alkylamino, (C_1-C_6) alkylsulfonylamino (C_1-C_6) alkylamino, (C₁- C_6)alkoxycarbonylamino(C_1 - C_6)alkylamino, aminosulfonyl(C₁-C₆)alkylamino, (C₂-C₉)heteroary!(C₁-C₆)alkylamino, 30 acetylamino(C₁-C₆)alkylamino, (acetyl)((C₁- C_6)alkyl)amino(C_1 - C_6)alkylamino, (C₂-C₉)heterocycloalkyl(C₁-C₆)alkylamino, ((C₁- (C_1-C_6) alkylamino (C_1-C_6) alkylamino $,(C_1-C_6)$ alkoxy (C_1-C_6) alkoxy $,(C_1-C_6)$ alkoxy $,(C_1-C_6)$ alkoxy $,(C_1-C_6)$ alkylamino $,(C_1-C_6)$ alkylamino $,(C_1-C_6)$ alkoxy $,(C_1-C_6)$ alkylamino C₆)alkyl)₂amino(C₁-C₆)alkylamino, C_6)alkylamino, (C_1-C_6) alkoxycarbony! (C_1-C_6) alkylamino, cyano (C_1-C_6) alkylamino, (C₂-(C₂-C₉)heterocycloalkyloxycarbonylamino(C₁-C₆)alkylamino, (C₁-35 C_9)heteroaryloxycarbonylamino(C_1 - C_6)alkylamino, cyanoguanidino(C_1 - C_6)alkylamino, C₆)alkylcyanoguanidino(C₁-C₆)alkylamino, $((C_1-C_6)alkyl)_2$ cyanoguanidino $(C_1-C_6)alkylamino,$

(C₁-C₆)alkylureido(C₁-C₆)alkylamino,

((C₁-C₆)alkyl)₂ureido(C₁-

ureido(C₁-C₆)alkylamino,

C₆)alkylamino, aminocarbonyloxy(C₁-C₆)alkylamino, hydroxy(C₁-C₆)alkylcarbonylamino, (C₁-C₆)alkylaminocarbonyl(C₁-C₆)alkylcarbonylamino, ((C₁-C₆)alkyl)₂aminocarbonyl(C₁- (C_1-C_6) alkoxycarbonylamino (C_1-C_6) alkylcarbonylamino, C₆)alkylcarbonylamino, aminosulfonyl(C₁-C₆)alkylcarbonylamino, hydroxy(C₁-C₆)alkylamino(C₁- C_6)alkylcarbonylamino, $((C_1-C_6)alkyl)_2$ amino $(C_1-C_6)alkylamino(C_1-C_6)alkylcarbonylamino (<math>C_1$ -5 C_6)alkylamino(C_1 - C_6)alkylamino(C_1 - C_6)alkylcarbonylamino, amino(C₁-C₆)alkylamino(C₁-C₆)alkylcarbonylamino, (C_1-C_6) alkoxy (C_1-C_6) alkylamino (C_1-C_6) alkylcarbonylamino, (C₂-(C2-C9)heteroarylcarbonylamino(C1-C₉)heterocycloalkyloxycarbonylamino, C₆)alkylcarbonylamino, (C₂-C₉)heteroarylcarbonylamino, (C₂-10 C₉)heterocycloalkylcarbonylamino, (C₂-C₉)heteroaryl(C₁-C₆)alkylcarbonylamino, (C₂-(C2-C9)heterocycloalkylcarbonylamino(C1-C₉)heterocycloalkyl(C₁-C₆)alkylcarbonylamino, C₆)alkylcarbonylamino, cyano(C₁-C₆)alkylcarbonylamino, (C₁-C₆)alkylsulfonylamino(C₁-(C₁-C₆)alkoxycarbonylamino(C₁-C₆)alkylaminocarbonylamino, C₆)alkylaminocarbonylamino, (C_2-C_9) heterocycloalkyloxycarbonylamino (C_1-C_6) alkylaminocarbonylamino, 15 C₉)heteroaryloxycarbonylamino(C₁-C₆)alkylaminocarbonylaminol, ureido(C₁-C₆)alkylureido, (C₁-C₆)alkylureido(C₁-C₆)alkylureido, ((C₁-C₆)alkyl)₂ureido(C₁-C₆)alkylureido, cyanoguanidino(C₁-C₆)alkylureido, (C₂-C₉)heteroaryl(cyanoguanidino), aminosulfonyl, amino(C₁-C₆)alkylsulfonyl, (C_1-C_6) alkylamino (C_1-C_6) alkylsulfonyl, $((C_1-C_6)alkyl)_2amino(C_1-$ (C₁-C₆)alkylaminosulfonyl, C₆)alkylsulfonyl, $((C_1-C_6)alkyl)_2$ aminosulfonyl, 20 C₉)heterocycloalkylsulfonyl, amino(C₁-C₆)alkylaminosulfonyl, (C₁-C₆)alkylamino(C₁-((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylaminosulfonyl, C₆)alkylaminosulfonyl, (C₂-C₉)heteroarylaminosulfonyl, hydroxy(C_1 - C_6)alkylaminosulfonyl, (C_1-C_6) alkoxy $(C_1-$ C₆)alkylaminosulfonyl, ureido(C₁-C₆)alkylaminosulfonyl, (C₁-C₆)alkylureido(C₁-((C₁-C₆)alkyl)₂ureido(C₁-C₆)alkylaminosulfonyl, (C₁-C₆)alkylaminosulfonyl, 25 C₆)alkylsulfonylamino(C₁-C₆)alkylaminosulfonyl, (C₁-C₆)alkoxycarbonylamino(C₁-C₆)alkylaminosulfonyl, (C_2-C_9) heterocycloalkyloxycarbonylamino (C_1-C_6) alkylaminosulfonyl, (C₂-C₉)heteroaryloxycarbonylamino(C₁-C₆)alkylaminosulfonyl, aminocarbonyl(C₁-C₆)alkylaminosulfonyl, cyanoguanidino(C₁-C₆)alkylaminosulfonyl, (C₂-C₉)heteroarylaminosulfonyl, (C₂-C₉)heteroaryl(C₁-C₆)alkylaminosulfonyl, (C₂-30 C₉)heterocycloalkylaminosulfonyl, (C₁-C₆)alkylcarbonylaminosulfonyl, halo(C₁- C_6)alkylcarbonylaminosulfonyl, (C_1 - C_6)alkoxycarbonylaminosulfonyl, ureidosulfonyl, (C_1 - C_6)alkylureidosulfonyl, ((C_1 - C_6)alkyl) $_2$ ureidosulfonyl, hydrogen, hydroxy, hydroxysulfonyl, halo, mercapto, (C₁-C₆)alkylthio, (C₁-C₆)alkylsulfinyl, (C₁-C₆)alkylsulfonyl, carboxy(C₁- C_6)alkylsulfonyl, (C_6-C_{10}) arylsulfonyl, (C_2-C_9) heteroarylsulfonyl, (C_1-C_6) alkoxy, hydroxy (C_1-C_6) alkoxy C₆)alkoxy, (C₆-C₁₀)aryloxy, trifluoro(C₁-C₆)alkyl, formyl, nitro, nitroso, cyano halo(C₁-35 (C₃-C₁₀)cycloalkylhydroxy(C₃-C₆)alkoxy, trifluoro(C₁-C₆)alkoxy, amino(C_1 - C_6)alkoxy,

 C_{10})cycloalkyl (C_3 - C_{10})cycloalkylamino(C_2 - C_6)alkenyl, (C_2 - C_6)alkynyl, (C_6 - C_{10})aryl, (C_6 - C_{10})aryl, (C_6 - C_{10})

 $C_{10}) \text{aryl} (C_2 - C_6) \text{alkenyl}, \quad \text{hydroxy} (C_6 - C_{10}) \text{aryl}, \quad ((C_1 - C_6) \text{alkylamino}) (C_6 - C_{10}) \text{aryl}, \quad \text{hydroxy} (C_1 - C_2) \text{aryl}, \quad \text{hydroxy} (C_2 - C_3) \text{aryl}, \quad \text{hydroxy} (C_3 - C_3) \text{aryl}, \quad \text{hydroxy} (C_4 - C_3) \text{aryl}, \quad \text{hydroxy} (C_5 - C_3) \text{aryl}, \quad \text{hydro$ C_6)alkylthio, hydroxy(C_2 - C_6)alkenyl, hydroxy(C_2 - C_6)alkynyl, (C_1 - C_6)alkoxy(C_6 - C_{10})aryl, (C_6 -C₁₀)aryl(C₁-C₆)alkoxy, amino, (C₁-C₆)alkylamino, ((C₁-C₆)alkyl)₂amino, (C₆-C₁₀)arylamino, (C₆-C₁₀)aryl(C₁-C₆)alkylamino, amino(C₁-C₆)alkylamino, (C₂-C₉)heterocycloalkylamino, C₉)heteroarylamino, (C2-C9)heterocycloalkyl(C1-5 (C₂-C₉)heteroaryl(C₁-C₆)alkylamino, C₆)alkylamino, (C_3-C_{10}) cycloalkyl (C_1-C_6) alkyl)amino, (C₁-C₆)alkylcarbonylamino, (C₁-C₆)alkoxycarbonylamino, (C₂-C₆)alkenylcarbonylamino, (C₃-C₁₀)cycloalkylcarbonylamino, (C₆-C₁₀)arylcarbonylamino, (C₂-C₉)heterocycloalkylcarbonylamino, (C₂halo(C₁-C₉)heteroaryloxycarbonylamino, (C₂-C₉)heterocycloalkoxycarbonylamino, 10 C_6)alkylcarbonylamino, (C_1 - C_6)alkoxy(C_1 - C_6)alkylcarbonylamino, (C_1 - C_6)alkoxycarbonyl(C_1 - $((C_1-C_6)alkylcarbonyl)((C_1-C_6)alkyl)amino,$ ((C₁-C₆)alkylcarbonylamino, C_6)alkoxycarbonyl)((C_1 - C_6)alkyl)amino, (C_1 - C_6)alkylsulfonylamino, ((C_1 - C_6)alkylcarbonyl)((C_1 -(C₃-C₁₀)cycloalkyl(C₁-C₆)alkyl)amino, $((C_1-C_6)alkylsulfonyl)((C_1-$ C₆)alkyl)amino, C₆)alkyl)amino, (C₂-C₉)heteroarylsulfonylamino, (C₆-C₁₀)arylsulfonylamino, 15 C_{10})arylsulfonyl)((C_1 - C_6)alkyl)amino, carboxy, (C₁-C₆)alkoxycarbonyl, (C₆-C₁₀)aryl(C₁-C₆)alkoxycarbonyl, (C₁-C₆)alkylcarbonyl, carboxy(C₁-C₆)alkylcarbonyl, amino(C₁- (C_1-C_6) alkylamino (C_1-C_6) alkylcarbonyl, $((C_1-C_6)alkyl)_2amino(C_1-$ C₆)alkylcarbonyl, C₆)alkylcarbonyl, (C₆-C₁₀)arylcarbonyl, (C₂-C₉)heteroaryl(C₁-C₆)alkylcarbonyl, (C₆-C₁₀)aryl(C₁-C₆)alkylcarbonyl, hydroxy(C₁-C₆)alkoxycarbonyl, (C₁-C₆)alkoxy(C₁-C₆)alkylcarbonyloxy, ((C₁-20 C₆)alkyl)₂aminocarbonyloxyaminocarbonyl, (C₁hydroxyaminocarbonyl, C₆)alkylaminocarbonyl, ((C₁-C₆)alkyl)₂aminocarbonyl, (C₆-C₁₀)arylaminocarbonyl, $(C_6 C_{10}$)aryl(C_1 - C_6)alkylaminocarbonyl, (aminocarbonyl(C₁-C₆)alkylaminocarbonyl, ((C₁- C_6)alkylaminocarbonyl(C_1 - C_6)alkylaminocarbonyl, (carboxy(C_1 - C_6)alkyl)aminocarbonyl, ((C_1 -C₆)alkoxycarbonyl(C₁-C₆)alkylaminocarbonyl, (amino(C₁-C₆)alkyl)aminocarbonyl, (hydroxy(C₁-25 C₆)alkylaminocarbonylamidino, hydroxyamidino, guanidino, ureido, (C₁-C₆)alkylureido, (C₆- C_{10})arylureido, ((C_6 - C_{10})aryl) $_2$ ureido, (C_6 - C_{10})aryl(C_1 - C_6)alkylureido, halo(C_1 - C_6)alkylureido, $((C_1-C_6)alkyl)((C_6-C_{10})aryl)ureido,$ ((C₁-C₆)alkyl)₂ureido, halo(C₁-C₆)alkylcarbonylureido, $(halo(C_1-C_6)alkyl)((C_1-C_6)alkyl)ureido, ((C_1-C_6)alkoxycarbonyl(C_1-C_6)alkyl)ureido, glycinamido,$ (C₁-C₆)alkylglycinamido, aminocarbonylglycinamido, (C_1-C_6) alkoxy $(C_1-$ 30 C₆)alkylcarbonylglycinamido, (aminocarbonyl)((C₁-C₆)alkyl)glycinamido, ((C₁-((C₁- C_6)alkoxycarbonyl(C_1 - C_6)alkylcarbonyl)((C_1 - C_6)alkyl)glycinamido, (C₆-C₁₀)arylcarbonylglycinamido, C₆)alkoxycarbonylamino(C₁-C₆)alkylcarbonyl)glycinamido, $((C_6-C_{10})arylcarbonyl)((C_1-C_6)alkyl)glycinamido,$ $((C_6-C_{10})aryl(C_1-$ C₆)alkylaminocarbonyl)glycinamido, (C_6-C_{10}) aryl (C_1-C_6) alkylaminocarbonyl $)((C_1-C_6)$ C₆)alkyl)glycinamido, (C₆-C₁₀)arylaminocarbonylglycinamido, ((C₆-C₁₀)arylaminocarbonyl)((C₁-35 C₆)alkyl)glycinamido, alaninamido, (C₁-C₆)alkylalaninamido, (C₂-C₉)heteroaryl, amino(C₂- C_9)heteroaryl, (C_1-C_6) alkylamino (C_2-C_9) heteroaryl, $((C_1-C_6)$ alkyl $)_2$ amino (C_2-C_9) heteroaryl, (C_2-C_9) heteroaryl, (C_3-C_9) heteroaryl,

10

15

20

25

30

35

(C₂-C₉)heterocycloalkyl, carboxy(C₁-C₆)alkoxy, (C₁-C₉)heteroaryloxy, $C_6) alkyl sulfonylamino carbonyl (C_1-C_6) alkoxy, \qquad (C_1-C_6) alkyl sulfonylamino (C_1-C_6) alkoxy,$ (C₂amino(C2-C6)alkoxy, C₉)heteroaryl(C₁-C₆)alkoxy, $carboxy(C_1-C_6)alkylamino(C_2-C_6)alkoxy,$ (aminocarbonyl)(hydroxy)amino, (C₁-C₆)alkylamino(C₂-C₆)alkoxy, ((C₁-C₆)alkyl)₂amino(C₂- C_6)alkoxy, (C_1-C_6) alkylcarbonylamino (C_2-C_6) alkoxy, aminocarbonylamino (C_2-C_6) alkoxy, (C_1-C_6) alkoxy, $(C_1-C_$ C_6)alkylaminocarbonylamino(C_2 - C_6)alkoxy, $((C_1$ - C_6)alkyl)₂aminocarbonylamino(C_2 - C_6)alkoxy, amino(C₂-C₆)alkoxycarbonylamino, (C_1-C_6) alkylamino (C_2-C_6) alkoxycarbonylamino, ((C₁- C_6)alkyl)₂amino(C_2 - C_6)alkoxycarbonylamino, C_2 - C_9)heteroarylamino(C_2 - C_6)alkoxy, barbituryl, (C_1-C_6) alkylcarbonylamino (C_1-C_6) alkylaminocarbonyl, amino (C_1-C_6) alkylcarbonylamino where the (C₁-C₆)alkyl is optionally substituted with one or two groups selected from hydrogen, amino, hydroxyl, (C_1-C_6) alkoxy, carboxy, further substituted (C_2-C_9) heteroaryl, (C_6-C_{10}) aryl, (C₂-C₉)heterocycloalkyl, and cycloalkyl, or the two groups together make up a carbocycle; and R¹⁹carbonylamino where R¹⁹ is a nitrogen containing (C₂-C₉)heterocycloalkyl which is optionally substituted further with one or two groups selected from (C₁-C₆)alkyl, (C₂-C₆)alkoxy and hydroxy;

 R^9 is selected from the group consisting of hydrogen, $(C_1\text{-}C_6)$ alkyl, $(C_6\text{-}C_{10})$ aryl, $(C_6\text{-}C_{10})$ aryl, $(C_1\text{-}C_6)$ alkyl, $(C_1\text{-}C_6)$ alkyl, $(C_1\text{-}C_6)$ alkylcarbonyl, $(C_1\text{-}C_6)$ alkylcarbonyl, $(C_6\text{-}C_{10})$ aryl, $(C_1\text{-}C_6)$ alkylcarbonyl, aminocarbonyl, $(C_1\text{-}C_6)$ alkylaminocarbonyl, $(C_1\text{-}C_6)$ alkyl) aminocarbonyl, and $(C_1\text{-}C_6)$ alkylaminocarbonyl, and

R¹¹ and R¹² are each independently selected from the group consisting of hydrogen, (C_1-C_6) alkyl, (C_6-C_{10}) aryl, (C_6-C_{10}) aryl (C_1-C_6) alkyl, hydroxy, (C_1-C_6) alkoxy, hydroxy (C_1-C_6) alkyl, (C_1-C_6) alkoxy (C_1-C_6) alkyl, amino, (C₁-C₆)alkylamino, ((C₁-C₆)alkyl)₂amino, (C₁-(C₃-C₈)cycloalkyl(C₁-C₆)alkylcarbonylamino, (C₃-C₈)cycloalkylcarbonylamino, C₆)alkylcarbonylamino, (C₁-C₆)alkoxycarbonylamino, (C₁-C₆)alkylsulfonylamino, $(C_6-$ (C₁-C₆)alkoxycarbonyl(C₁-C₆)alkylcarbonylamino, C₁₀)arylcarbonylamino, (C₆-C₁₀)aryl(C₁- $((C_6-C_{10})aryl(C_1-C_6)alkylcarbonyl)((C_1-C_6)alkyl)amino,$ (C₁-C₆)alkylcarbonylamino, C₆)alkylcarbonylamino(C₁-C₆)alkyl, (C₃-C₈)cycloalkylcarbonylamino(C₁-C₆)alkyl, (C₁- C_6)alkoxycarbonylamino(C_1 - C_6)alkyl, (C_2 - C_9)heterocycloalkylcarbonylamino(C_1 - C_6)alkyl, $(C_6 C_{10}$)aryl(C_1 - C_6)alkylcarbonylamino(C_1 - C_6)alkyl, (C_2 - C_9)heteroarylcarbonylamino(C_1 - C_6)alkyl, (C_6 -C₁₀)arylsulfonylamino, (C_1-C_6) alkylsulfonylamino (C_1-C_6) alkyl, aminocarbonylamino, (C₁-C₆)alkylaminocarbonylamino, halo(C₁-C₆)alkylaminocarbonylamino, ((C₁-C₆)alkyl)₂aminocarbonylamino, aminocarbonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylaminocarbonylamino(C₁-C₆)alkyl, ((C₁-C₆)alkyl)₂aminocarbonylamino(C₁-C₆)alkyl, (C₁-C₆)alkylamino(C₁-, halo(C_1 - C_6)alkylaminocarbonylamino(C_1 - C_6)alkyl, amino(C₁-C₆)alkyl, $((C_1-C_6)alkyl)_2amino(C_1-C_6)alkyl$, carboxy $(C_1-C_6)alkyl$, $(C_1-C_6)alkoxycarbonyl(C_1-C_6)alkyl$ C₆)alkyl, C_6)alkyl, aminocarbonyl(C_1 - C_6)alkyl and (C_1 - C_6)alkylaminocarbonyl(C_1 - C_6)alkyl.

10

15

20

25

- 2. A compound according to claim 1, wherein R^1 is hydrogen, halo, cyano, nitro, trifluoromethyl, trifluoromethoxy, (C_1-C_6) alkyl, hydroxy or (C_1-C_6) alkylcarbonyloxy.
- 3. A compound according to claim 1, wherein c is 1; X is C(O) or CH₂; d is 1; and Z is oxygen, $\dot{N}H$, (C₁-C₆)alkyl, or CR¹¹R¹².
- 4. A compound according to claim 1, wherein R^4 is $(R^5)_f(C_6-C_{10})$ aryl or $(R^5)_f(C_2-C_9)$ heteroaryl, wherein f is 1 or 2.
- 5. A compound according to claim 1, wherein c is 1; X is C(O); d is 1; Z is oxygen or (C_1-C_6) alkyl; W is nitrogen or CH; and I, m and k are zero, zero and 2 or 3 respectively, or k, I, and m are zero, zero and 2 or 3 respectively.
- A compound according to claim 1, wherein R⁴ is phenyl, Q is (C₁-C₆)alkyl, q is 0 or 1, and at least one R⁵ is selected from: (C₂-C₉)heteroarylaminocarbonyl, (C₂-C₉)heteroarylcarbonylamino, (C₁-C₆)alkylsulfonylaminocarbonyl, aminosulfonylaminocarbonyl, carboxy(C₁-C₆)alkylcyanoguanidino, carboxy, (C₂-C₉)heteroarylamino, (C₂-C₉)heteroarylsulfonyl, (C₂-C₉)heteroaryl (C₂-C₉)heteroaryloxy, (C₂-C₉)heteroarylcarbonyl, (C₂-C₉)heteroaryl(C₁-C₆)alkylcarbonyl, carboxy(C₁-C₆)alkylaminocarbonylamino, C₉)heteroarylaminocarbonylamino, carboxy(C₁-C₆)alkylcarbonylamino, (C₂-C₉)heteroaryl(C₁-C₆)alkylamino, carboxy(C₁-C₆)alkylaminocarbonyl, carboxy(C₁-C₆)alkylsulfonylamino, (C₂-C₉)heteroarylaminosulfonyl, carboxy(C₁-C₆)alkylsulfonyl, carboxy(C₁-C₆)alkylamino, carboxy(C₁-C₆)alkylcarbonyl, carboxy(C₁-C₆)alkoxy, carboxy(C₁-C₆)alkoxycarbonylamino, hydroxyaminocarbonyl, (C₁-C₆)alkylsulfonylaminocarbonyl(C₁-C₆)alkoxy, (C₂-C₉)heteroaryl(C₁carboxy(C₁-C₆)alkylamino(C₂-C₆)alkoxy, (C_2-C_9) heteroarylamino (C_2-C_6) alkoxy, amino(C_1 - C_6)alkylcarbonyl, (C_1 - C_6)alkylamino(C_1 - C_6)alkylcarbonyl, ((C_1 - C_6)alkyl)₂amino(C_1 -C₆)alkylcarbonyl, amino(C₁-C₆)alkylcarbonylamino, (C₁-C₆)alkylamino(C₁-C₆)alkylcarbonylamino, ((C₁-C₆)alkyl)₂amino(C₁-C₆)alkylcarbonylamino, amino(C₁- C_6)alkylureido, (C_1-C_6) alkylamino (C_1-C_6) alkylureido, $((C_1-C_6)$ alkyl) $_2$ amino (C_1-C_6) alkylureido, amino(C₁-C₆)alkylsulfonylamino, (C₁-C₆)alkylamino(C₁-C₆)alkylsulfonylamino, ((C₁- C_6)alkyl)₂amino(C_1 - C_6)alkylsulfonylamino, amino(C_1 - C_6)alkylsulfonyl, (C_1 - C_6)alkylamino(C_1 - C_6)alkylsulfonyl, $((C_1-C_6)alkyl)_2$ amino $(C_1-C_6)alkylsulfonyl, amino<math>(C_1-C_6)alkylcyanoguanidino,$ (C₁-C₆)alkylamino(C₁-C₆)alkylcyanoguanidino, ((C₁-C₆)alkyl)₂amino(C₁-
- C₆)alkylcyanoguanidino, amino(C₁-C₆)alkylaminosulfonyl, (C₁-C₆)alkylamino(C₁-C₆)alkylaminosulfonyl, ((C₁-C₆)alkylaminosulfonyl, ((C₁-C₆)alkylamino)(C₆-C₁₀)aryl(C₁-C₆)alkyl, amino, amino(C₁-C₆)alkoxy, amino(C₁-C₆)alkoxycarbonylamino, (C₁-C₆)alkylamino, ((C₁-C₆)alkylamino, ((C₁-C₆)alkylamino, (C₆-C₁₀)arylamino, (C₆-C₁₀)aryl(C₁-C₆)alkylamino, amino(C₁-C₆)alkylamino, (C₂-C₉)heterocycloalkylamino, (C₂-C₉)heteroarylamino, (C₃-C₁₀)arylamino, (C₁-C₁₀)arylamino, (C₂-C₁₀)heteroarylamino, (C₃-C₁₀)arylamino, (C₁-C₁₀)arylamino, (C₂-C₁₀)heteroarylamino, (C₃-C₁₀)arylamino, (C₁-C₁₀)arylamino, (C₁-C₁₀)arylamino, (C₂-C₁₀)heteroarylamino, (C₃-C₁₀)arylamino, (C₁-C₁₀)arylamino, (C₁-C₁₀)arylamino, (C₂-C₁₀)heteroarylamino, (C₃-C₁₀)arylamino, (C₁-C₁₀)arylamino, (C₁-C₁₀
- 35 C_{10})cycloalkyl(C_1 - C_6)alkyl)amino, (amino(C_1 - C_6)alkyl)aminocarbonyl, glycinamido, (C_1 - C_6)alkylglycinamido, alaninamido, (C_1 - C_6)alkylalaninamido, ((C_1 - C_6)alkyl, aminocarbonyl(C_1 - C_6)alkylcarbonylamino, halo, (C_1 - C_6)alkoxy, (C_1 - C_6)alkyl, halo(C_1 - C_6)alkyl, aminocarbonyl(C_1 -

10

15

20

25

30

35

aminocarbonyl(C₁-C₆)alkylcarbonylamino,

 $C_6) alkylureido, \ (C_1-C_6) alkylcarbonyl, \ (C_1-C_6) alkylsulfonylamino, \ (C_1-C_6) alkylsulfonylamino(C_1-C_6) alkylaminocarbonyl, \ aminocarbonyl, \ ureido(C_1-C_6) alkylaminocarbonyl, \ aminocarbonyl(C_1-C_6) alkylcarbonylamino, \ ureido(C_1-C_6) alkylcarbonylamino, \ (C_1-C_6) alkylcarbonylamino, \ (C_1-C_6) alkylcarbonylamino, \ ureido(C_1-C_6) alkylcarbonyla$

A compound according to claim 1, wherein R⁴ is pyridyl, Q is (C₁-C₆)alkyl, q is 7. 0 or 1, and at least one R⁵ is selected from: (C₂-C₉)heteroarylaminocarbonyl, (C₂-C₉)heteroarylcarbonylamino, (C₁-C₆)alkylsulfonylaminocarbonyl, aminosulfonylaminocarbonyl, carboxy(C₁-C₆)alkylcyanoguanidino, carboxy, (C₂-C₉)heteroarylamino, (C₂-C₉)heteroarylsulfonyl, (C₂-C₉)heteroaryl (C₂-C₉)heteroaryloxy, (C₂-C₉)heteroarylcarbonyl, (C₂-C₉)heteroaryl(C₁-C₆)alkylcarbonyl, carboxy(C₁-C₆)alkylaminocarbonylamino, (C2-C₉)heteroarylaminocarbonylamino, carboxy(C₁-C₆)alkylcarbonylamino, (C₂-C₉)heteroaryl(C₁-C₆)alkylamino, carboxy(C₁-C₆)alkylaminocarbonyl, carboxy(C₁-C₆)alkylsulfonylamino, (C₂-C₉)heteroarylaminosulfonyl, carboxy(C₁-C₆)alkylsulfonyl, carboxy(C₁-C₆)alkylamino, carboxy(C₁-C₆)alkylcarbonyl, carboxy(C₁-C₆)alkoxy, carboxy(C₁-C₆)alkoxycarbonylamino, hydroxyaminocarbonyl, (C₁-C₆)alkylsulfonylaminocarbonyl(C₁-C₆)alkoxy, (C₂-C₉)heteroaryl(C₁ $carboxy(C_1-C_6)alkylamino(C_2-C_6)alkoxy, (C_2-C_9)heteroarylamino(C_2-C_6)alkoxy,$ amino(C_1 - C_6)alkylcarbonyl, (C_1 - C_6)alkylamino(C_1 - C_6)alkylcarbonyl, ((C_1 - C_6)alkyl)₂amino(C_1 -C₆)alkylcarbonyl, amino(C₁-C₆)alkylcarbonylamino, (C₁-C₆)alkylamino(C₁-C₆)alkylcarbonylamino, $((C_1-C_6)alkyl)_2amino(C_1-C_6)alkylcarbonylamino,$ C_6)alkylureido, (C_1-C_6) alkylamino (C_1-C_6) alkylureido, $((C_1-C_6)$ alkyl) $_2$ amino (C_1-C_6) alkylureido, amino(C₁-C₆)alkylsulfonylamino, (C_1-C_6) alkylamino (C_1-C_6) alkylsulfonylamino, C_6)alkyl)₂amino(C_1 - C_6)alkylsulfonylamino, amino(C_1 - C_6)alkylsulfonyl, (C_1 - C_6)alkylamino(C_1 -(C₁-C₆)alkylamino(C₁-C₆)alkylcyanoguanidino, $((C_1-C_6)alkyl)_2amino(C_1-$ C₆)alkylcyanoguanidino, amino(C₁-C₆)alkylaminosulfonyl, (C₁-C₆)alkylamino(C₁- C_6)alkylaminosulfonyl, ((C_1 - C_6)alkyl)₂amino(C_1 - C_6)alkylaminosulfonyl, ((C_1 - C_6)alkylamino)(C_6 - C_{10})aryl(C_1 - C_6)alkyl, amino, amino(C_1 - C_6)alkoxy, amino(C_1 - C_6)alkoxycarbonylamino, (C_1 -C₆)alkylamino, ((C₁-C₆)alkyl)₂amino, (C_6-C_{10}) arylamino, (C_6-C_{10}) aryl (C_1-C_6) alkylamino, amino(C_1 - C_6)alkylamino, (C₂-C₉)heterocycloalkylamino, (C₂-C₉)heteroarylamino, (C₃-(C₁-C₁₀)cycloalkyl(C₁-C₆)alkyl)amino, (amino(C₁-C₆)alkyl)aminocarbonyl, glycinamido, C₆)alkylglycinamido, alaninamido, (C₁-C₆)alkylalaninamido, $((C_1-C_6)alkyl)_2$ amino(C₁-C₆)alkylcarbonylamino, aminocarbonyl(C₁-C₆)alkylureido, (C₁-C₆)alkylcarbonyl, (C₁- C_6)alkylsulfonylamino, (C_1-C_6) alkylsulfonylamino (C_1-C_6) alkylaminocarbonyl, aminosulfonyl, aminocarbonyl, ureido(C_1 - C_6)alkylaminocarbonyl, aminocarbonyl(C_1 - C_6)alkyaminocarbonyl,

(C₁-

ureido(C₁-C₆)alkylcarbonylamino,

10

15

20

25

30

35

 $C_6) alkylcarbonylamino (C_1-C_6) alkylcarbonylamino, \\ C_6) alkylcarbonylamino, \\ Ureido (C_1-C_6) alkylcarbonylamino, \\ Ureido (C_1-C_6) alkylcarbonylamino, \\ Ureido, \\ Ure$

- 8. Salts of a compound according to claim 1, where pharmaceutically acceptable counter-ions for acidic compounds are selected from alkali metal cations, alkaline earth metal cations ammonium or water-soluble amine addition salts, N-methylglucamine-(meglumine), the lower alkanolammonium and other base salts of pharmaceutically acceptable organic amines; and pharmaceutically acceptable salts selected from hydrochloride, hydrobromide, hydroiodide, nitrate, sulfate, bisulfate, phosphate, acid phosphate, acetate, lactate, citrate, acid citrate, tartrate, bitartrate, succinate, maleate, fumarate, gluconate, saccharate, benzoate, methanesulfonate, ethanesulfonate, benzenesulfonate, p-toluenesulfonate and pamoatesalts.
- 9. A pharmaceutical composition for treating or preventing a disorder or condition selected from autoimmune diseases, rheumatoid arthritis, type I diabetes (recent onset), lupus, inflammatory bowel disease, optic neuritis, psoriasis, multiple sclerosis, polymyalgia rheumatica, uveitis, and vasculitis, acute and chronic inflammatory conditions osteoarthritis, adult Respiratory Distress Syndrome, Respiratory Distress Syndrome of infancy, ischemia reperfusion injury, glomerulonephritis, and chronic obstructive pulmonary disease (COPD) allergic conditions, asthma and atopic dermatitis, inflammation associated with infection, viral inflammation, influenza, hepatitis and Guillian-Barre, chronic bronchitis, chronic or acute tissue, cell, and solid organ transplant rejection, xeno-transplantation, atherosclerosis, restenosis, HIV infectivity (co-receptor usage), and granulomatous diseases, sarcoidosis, leprosy and tuberculosis, and sequelae associated with cancers, multiple myelomax; limiting the production of cytokines and/or TNF at inflammatory sites, as a consequence of decreasing cell infiltration; for treating diseases and/or congestive heart failure, linked to TNF and IL-1 and for treating pulmonary emphysema or dyspnea associated therewith, emphysema; HIV-1, HIV-2, HIV-3; cytomegalovirus (CMV), adenoviruses, Herpes viruses (Herpes zoster and Herpes simplex), for treating sequelae associated with infection where such infection induces production of detrimental inflammatory cytokines and/or TNF, fungal meningitis, joint tissue damage, hyperplasia, pannus formation and bone resorption, psoriatic arthritis, hepatic failure, bacterial meningitis, Kawasaki syndrome, myocardial infarction, acute liver failure, lyme disease, septic shock, cancer, trauma, and malaria, in a mammal, comprising an amount of a compound according to claim 1, or a pharmaceutically acceptable salt or pro-drug thereof, that is effective in treating or preventing such disorder or condition and a pharmaceutically acceptable carrier.
- 10. A pharmaceutical composition for treating or preventing a disorder or condition that can be treated or prevented by inhibiting chemokine binding to the receptor CCR1 in a

10

15

20


25

30

35

mammal, comprising an amount of a compound according to claim 1, or a pharmaceutically acceptable salt or pro-drug thereof, effective in treating or preventing such disorder or condition and a pharmaceutically acceptable carrier.

- 11. A method for treating or preventing a disorder or condition selected from autoimmune diseases, rheumatoid arthritis, type I diabetes (recent onset), lupus, inflammatory bowel disease, optic neuritis, psoriasis, multiple sclerosis, polymyalgia rheumatica, uveitis, and vasculitis, acute and chronic inflammatory conditions osteoarthritis, adult Respiratory Distress Syndrome, Respiratory Distress Syndrome of infancy, ischemia reperfusion injury, glomerulonephritis, and chronic obstructive pulmonary disease (COPD) allergic conditions, asthma and atopic dermatitis, inflammation associated with infection, viral inflammation, influenza, hepatitis and Guillian-Barre, chronic bronchitis, chronic or acute tissue, cell, and solid organ transplant rejection, xeno-transplantation, atherosclerosis, restenosis, HIV infectivity (co-receptor usage), and granulomatous diseases, sarcoidosis, leprosy and tuberculosis, and sequelae associated with cancers, multiple myelomax; limiting the production of cytokines and/or TNF at inflammatory sites, as a consequence of decreasing cell infiltration; for treating diseases and/or congestive heart failure, linked to TNF and IL-1 and for treating pulmonary emphysema or dyspnea associated therewith, emphysema; HIV-1, HIV-2, HIV-3; cytomegalovirus (CMV), adenoviruses, Herpes viruses (Herpes zoster and Herpes simplex), for treating sequelae associated with infection where such infection induces production of detrimental inflammatory cytokines and/or TNF; fungal meningitis, joint tissue damage, hyperplasia, pannus formation and bone resorption, psoriatic arthritis, hepatic failure, bacterial meningitis, Kawasaki syndrome, myocardial infarction, acute liver failure, lyme disease, septic shock, cancer, trauma, and malaria,in a mammal, comprising administering to a mammal in need of such treatment or prevention an amount of a compound according to claim 1, or a pharmaceutically acceptable salt or pro-drug thereof, that is effective in treating or preventing such disorder or condition.
- 12. A method for treating or preventing a disorder or condition that can be treated or prevented by antagonizing the CCR1 receptor in a mammal, comprising administering to a mammal in need of such treatment or prevention an amount of a compound according to claim 1, or a pharmaceutically acceptable salt or pro-drug thereof, that is effective in treating or preventing such disorder or condition.
- 13. A pharmaceutical composition for treating or preventing a disorder or condition selected from autoimmune diseases, rheumatoid arthritis, type I diabetes (recent onset), lupus, inflammatory bowel disease, optic neuritis, psoriasis, multiple sclerosis, polymyalgia rheumatica, uveitis, and vasculitis, acute and chronic inflammatory conditions osteoarthritis, adult Respiratory Distress Syndrome, Respiratory Distress Syndrome of infancy, ischemia reperfusion injury, glomerulonephritis, and chronic obstructive pulmonary disease (COPD)



14. A pharmaceutical composition for treating or preventing a disorder or condition that can be treated or prevented by antagonizing the CCR1 receptor in a mammal, comprising a CCR1 receptor antagonizing effective amount of a compound according to claim 1, or a pharmaceutically acceptable salt or pro-drug thereof, and a pharmaceutically acceptable carrier.

20

5

10

15